

DATE 0340Z 25 APR 64

SECRET

2	1
3	11
4	12
5	13
6	14
7	15
8	16

TO : DIRECTOR

FROM :

ACTION:

INFO :

EDD	<i>D</i>
RS	<i>pl on</i>
RP	<i>pl on</i>
KB	<i>pl on</i>
WC	
SR	
PM	

ROUTINE

IN 74950

TO: 0208Z 24 APR 64

25X1

SZ14A

25X1

TO IMMEDIATE

INFO

CITE

LAZY DAISY

REF 0065 PARA 10

A. MSN S214A ARTICLE 342

B. SCHED. T.O. 24/0400Z

C. SCHED LAND 24/1100Z

D. BW FREQ 6760 KC USB

E. BW "A" BUTTON OPN 0420Z 0545Z 0715Z 0915Z

F. CALL SIGNS

ACFT NORM HIGH JUMP

ACFT EMERG JACOB

GROUND STATION

G. SEE REF FOR STATIC TEST READOUT

H. NEW SUBJECT: REQUEST STATIC TEST READOUT FOR BW ON

ALSO INCLUDE ARTICLE NBM

IN ALERT MSG.

END OF MESSAGE

25 YEAR RE-REVIEW

SECRET

GROUP 1
Excluded from automatic
downgrading and
declassification

REPRODUCTION BY OTHER THAN THE ISSUING OFFICE IS PROHIBITED. Copy No.